

## CERTIFICATE OF ANALYSIS

Substance Broad Spectrum Cannabidiol Distillate in MCT Oil 5% CBD

 Product Code
 6 121 02 F

 Batch Nr.
 EF21/056-07

 Release Date
 28/07/2021

 Retest Date
 28/07/2023

Storage Store below 25 °C in a tight container protected from light and humidity.

Net weight 30 Kg

Description Clear to Light-Yellow Brown viscous liquid
Carrier: Medium-Chain Triglyceride (MCT) oil

## ANALYTICAL REPORT

Test	Results	Acceptance criteria	Method
Appearance	Complies	Clear to Light-Yellow Brown	Visual Inspection
		viscous liquid	
Identification by HPLC:	Complies	Complies with reference standard	HPLC Ph. Helv.
Assay by HPLC:			
- Total Cannabidiol (CBD + CBDA)	5.2%	4.5% - 5.5%	HPLC DAB Monograph
Related substances by HPLC			
- Total Δ <sup>9</sup> -THC (sum of THC + THCA)	< 0.05%	NMT 0.2%	
- CBN	N.D.	N.D.	HPLC DAB Monograph
- CBC	N.D.	Informative	
- CBG	0.05 %	Informative	
Water content by KF	0.2%	NMT 1%	Ph. Eur. 2.5.12 current ed.
Residual solvents	<100 ppm	< 5000 ppm	GC In House
- Ethanol	<100 ppiii	< 3000 ppm	GC III House
Microbial contamination:			
- Total aerobic microbial count	< 10 CFU/mL	NMT 10 <sup>4</sup> CFU/mL	Ph. Eur. (2.6.12) current ed.
- Total combined yeast/mould count	< 10 CFU/mL	NMT 10 <sup>2</sup> CFU/mL	Ph. Eur. (2.6.12) current ed.
- Bile tolerant gram-negative bacteria	Absent	NMT 10 <sup>2</sup> CFU/mL	Ph. Eur. (2.6.31) current ed.
- E. Coli	Absent	Absent/1 mL	Ph. Eur. (2.6.31) current ed.
- Salmonella	Absent	Absent/25 mL	Ph. Eur. (2.6.31) current ed.
Pesticides*(GC-MS/PLC-MS/MS)	Complies	Complies with Ph. Eu List	Ph. Eu List
Aflatoxins			
Aflatoxins B <sub>1</sub>	Complies	NMT 2 μg/kg	Ph. Eur. (2.8.18) current ed.
Sum of Aflatoxin $B_1 B_2 G_1 G_2$	Complies	NMT 4 μg/kg	
Ochratoxin A	Complies	NMT 20 µg/kg	Ph. Eur. (2.8.22) current ed.
Heavy metals*			
- Pb	Complies	NMT 5 ppm	
- Cd	Complies	NMT 1 ppm	
- Hg	Complies	NMT 0.1 ppm	IPC/MS
- As	Complies	Informative	
- Ni	Complies	Informative	
- Zn	Complies	Informative	

## Remarks

N.A. = not applicable N.D.= not detectable NMT=not more than

This certificate is issued electronically by EMMAC Life Sciences, in compliance with the data reported on the original analytical documentation.

Date: 05/08/2021

<sup>\*</sup> Routine control or skip/periodic test according to performed assessment.